



530 **ESPRITE**

Advanced Composite Stringer Technology
Manufactured using latest composite materials



Buccaneer

530 ESPRITE XL RUNABOUT

L.O.A. includes bow sprit	5.600m
Hull length	5.218m
Beam	2.145m
Deadrise	21°
Fuel capacity (approx)	90L
Hull weight (approx)	600kg
Total road weight (approx)	1140kg
Maximum horse power	150hp
Maximum engine weight	220kg

STANDARD EQUIPMENT

- No feed back steering
- Stainless steel folding ladder
- Stainless steel ski pole
- Stainless steel cockpit coaming rails
- Alloy fuel tank
- BEP wiring loom
- Cockpit rod racks
- Polymer upholstery panel boards
- Polyurethane foam filled hull

- Fibreglass hull liner
- NZ CPC Standard

OPTIONAL EQUIPMENT

- Hydraulic steering
- Stainless steel bow rails
- Rocket launcher with rigid frame
- bimini and clears and wakeboard tow
- Classic hull band

530
EXESS

**Advanced
Composite
Stringer
Technology**
Manufactured using latest
composite materials



Buccaneer

530 EXESS XL

L.O.A. includes bow sprit	5.600m
Hull length	5.218m
Beam	2.145m
Deadrise	21°
Bunk length	1.600m
Fuel capacity (approx)	95L
Hull weight (approx)	670kg
Total road weight (approx)	1185kg
Maximum horse power	130hp
Maximum engine weight	198kg

STANDARD EQUIPMENT

- No feed back steering
- Stainless steel ski pole
- Stainless steel bow rail
- Stainless steel ladder
- Stainless steel cockpit grab rails
- Stainless steel rod holders
- Alloy fuel tank
- Compass
- Teak coaming treads

- Cockpit rod racks
- Screen grab rail
- Burl elm dash panel
- Polymer upholstery panel boards
- Fibreglass hull liner
- Polyurethane foam filled hull
- NZ CPC Standard

OPTIONAL EQUIPMENT

- Hydraulic steering
- Infill squab
- Rope chain capstan
- Rocket launcher with rigid frame
- Bimini and clears
- Trim tabs
- Bait station
- Classic hull band



565
EXESS

Advanced
Composite
Stringer
Technology
Manufactured using latest composite materials



Buccaneer

565 EXESS XL

L.O.A. includes bow sprit	5.910m
Hull length	5.670m
Beam	2.290m
Deadrise	23°
Bunk length	1.800m
Fuel capacity (approx)	165L
Hull weight (approx)	830kg
Total road weight (approx)	1440kg
Maximum horse power	150hp
Maximum engine weight	220kg

STANDARD EQUIPMENT

Hydraulic steering
Stainless steel ski pole
Stainless steel bow rail
Stainless steel folding extending ladder
Stainless steel cockpit grab rails
Stainless steel rod holders
Alloy fuel tank
Compass
Teak coaming treads

Cockpit rod racks
Screen grab rail
Burl elm dash panel
Polymer upholstery panel boards
Toilet compartment
Fibreglass hull liner
Polyurethane foam filled hull
NZ CPC Standard

OPTIONAL EQUIPMENT

Infill squab
Rope chain capstan
Rocket launcher with rigid frame
bimini and clears
Trim tabs
Chemical toilet
Bait station
Classic hull band

605
EXESS

Advanced
Composite
Stringer
Technology

Manufactured using latest
composite materials



Buccaneer

605 EXESS XL

L.O.A. includes bow sprit	6.460m
Hull length	6.050m
Beam	2.290m
Deadrise	22.5°
Bunk length	1.920m
Fuel capacity (approx)	165L
Hull weight (approx)	960kg
Total road weight (approx)	1670kg
Maximum horse power	200hp
Maximum engine weight	239kg

STANDARD EQUIPMENT

Hydraulic steering	Toughened glass windscreen
Stainless steel ski pole	Cockpit rod racks
Stainless steel bow rail	Screen grab rail
Stainless steel folding extending ladder	Burl elm dash panel
Stainless steel cockpit grab rails	Polymer upholstery panel boards
Stainless steel rod holders	Toilet compartment
Alloy fuel tank	Fibreglass hull liner
Compass	Polyurethane foam filled hull
Teak coaming treads	NZ CPC Standard

OPTIONAL EQUIPMENT

Infill squab
Rope chain capstan
Rocket launcher with rigid frame
bimini and clears
Trim tabs
Chemical Toilet
Bait station
Fusion marine stereo
Flexi teak floor and hatch
Classic hull band



635
EXESS

Advanced
Composite
Stringer
Technology

Manufactured using latest composite materials



Buccaneer

635 EXESS XL

L.O.A. includes bow sprit	6.765m
Hull length	6.325m
Beam	2.420m
Deadrise	21°
Bunk length	2.000m
Fuel capacity (approx)	240L
Hull weight (approx)	1050kg
Total road weight (approx)	1840kg
Maximum horse power	250hp
Maximum engine weight	269kg

STANDARD EQUIPMENT

- Hydraulic steering
- Stainless steel ski pole
- Stainless steel bow rail
- Stainless steel folding extending ladder
- Stainless steel cockpit grab rails
- Stainless steel rod holders
- Alloy fuel tank
- Polymer upholstery panel boards
- Compass
- Teak coaming trends
- Toughened glass windscreen
- LED cockpit courtesy lights
- Cockpit rod racks
- Screen grab rail
- Burl elm dash panel
- Chemical Toilet
- Lock-up cabin (sliding door)
- Polyurethane foam filled hull
- Fibreglass hull liner
- NZ CPC Standard

OPTIONAL EQUIPMENT

- Fridge
- Infill squab
- Rope chain capstan
- Rocket launcher with rigid frame
- bimini and clears
- Trim tabs
- Bait station
- Fusion marine stereo
- Live bait aerator
- Electric toilet (holding tank)
- Wash down pump
- Classic hull band

635
EXESS
 HARDTOP

Advanced
 Composite
 Stringer
 Technology

Manufactured using latest
 composite materials



Buccaneer

635 EXESS HARDTOP

L.O.A. includes bow sprit	6.765m
Hull length	6.325m
Beam	2.420m
Deadrise	21°
Bunk length	2.000m
Fuel capacity (approx)	240L
Hull weight (approx)	1,100kg
Total road weight	2,080kg
Maximum horse power	225hp
Maximum engine weight	269kg

STANDARD EQUIPMENT

- Hard Top
- Hydraulic steering
- Stainless steel bait pole
- Stainless steel bow rail
- Stainless steel folding extending ladder
- Stainless steel cockpit grab rails
- Stainless steel rod holders
- Alloy fuel tank
- Compass
- Teak coaming treads
- Cockpit rod racks

- LED cockpit courtesy lights
- Cross curve toughened glass windscreen
- Transom bin
- Burl elm dash
- Chemical Toilet
- Lock-up cabin (sliding door)
- Windscreen wiper
- Polymer upholstery panel boards
- Fibreglass hull liner
- Polyurethane foam filled hull
- NZ CPC Standard

OPTIONAL EQUIPMENT

- Fridge (12V)
- Infill squab
- Rope chain capstan
- Rocket launcher
- Extending canopy and clears
- Wash down pump
- Electric toilet
- Live bait aerator
- Trim tabs
- Fusion stereo
- Bait station
- Classic hull band



685
EXESS
HARDTOP

Advanced
Composite
Stringer
Technology
Manufactured using latest composite materials



Buccaneer

685 EXESS HARDTOP

L.O.A. includes bow sprit	7.135m
Hull length	6.820m
Beam	2.488m
Deadrise	22.5°
Bunk length	2.000m
Fuel capacity (approx)	240L
Hull weight (approx)	1,250kg
Total road weight (approx)	2,220kg
Maximum horse power	250hp
Maximum engine weight	269kg

STANDARD EQUIPMENT

- Hard Top
- Hydraulic steering
- Stainless steel bait pole
- Stainless steel bow rail
- Stainless steel folding extending ladder
- Stainless steel cockpit grab rails
- Stainless steel rod holders
- Alloy fuel tank
- Compass
- Cockpit rod racks
- LED cockpit courtesy lights

- Cross curve toughened glass windscreen
- Teak coaming treads
- Transom bin
- Twin back-to-back seats
- Chemical Toilet
- Lock-up cabin (sliding door)
- Windscreen wiper
- Polymer upholstery panel boards
- Fibreglass hull liner
- Polyurethane foam filled hull
- NZ CPC Standard

OPTIONAL EQUIPMENT

- Fridge (12V)
- Infill squab
- Rope chain capstan
- Rocket launcher
- Extending canopy and clears
- Wash down pump
- Electric toilet
- Live bait aerator
- Trim tabs
- Fusion stereo
- Bait station
- Classic hull band

565 **ESPRITE**

Advanced
Composite
Stringer
Technology

Manufactured using latest composite materials



Buccaneer

565 ESPRITE XL BOWRIDER

L.O.A. includes bow sprit	5.910m
Hull length	5.496m
Beam	2.290m
Deadrise	23°
Fuel capacity (approx)	165L
Hull weight (approx)	760kg
Total road weight (approx)	1,470kg
Maximum horse power	200hp
Maximum engine weight	220kg

STANDARD EQUIPMENT

Hydraulic steering
Stainless steel bowrails
Stainless steel ski pole
Stainless steel ladder
Stainless steel cockpit grab rails
Alloy fuel tank
Compass
Bow cover
Back-to-back seats

Polymer upholstery panel boards
Polyurethane foam filled hull
Fibreglass hull liner
NZ CPC Standard

OPTIONAL EQUIPMENT

Rocket launcher with rigid frame
bimini, clears and wakeboard tow
Trim tabs
Fusion marine stereo
Classic hull band



635 **ESPRITE**

Advanced
Composite
Stringer
Technology
Manufactured using latest composite materials



Buccaneer

635 ESPRITE XL BOWRIDER

L.O.A. includes bow sprit	6.765m
Hull length	6.325m
Beam	2.420m
Deadrise	21°
Fuel capacity (approx)	250L
Hull weight (approx)	1,010kg
Total road weight (approx)	1,800kg
Maximum horse power	250hp
Maximum engine weight	269kg

STANDARD EQUIPMENT

- Hydraulic steering
- Stainless steel bow rails
- Stainless steel folding extending ladder
- Stainless steel ski pole
- Teak coaming treads
- Alloy fuel tank
- Compass
- Cross curve toughened glass windscreen
- Bow cover

- LED cockpit courtesy lights
- Under floor locker
- Self draining cockpit
- Polyurethane foam filled hull
- NZ CPC Standard

OPTIONAL EQUIPMENT

- Capstan
- Trim tabs
- Fusion marine stereo
- Stainless steel rocket launcher with rigid frame bimini and clears
- Bait station
- Wash down pump
- Live bait aerator
- Classic hull band

495 CLASSIC

Advanced
Composite
Stringer
Technology

Manufactured using latest
composite materials.



Buccaneer

495 CLASSIC XL CABIN WIDE BODY

L.O.A. includes bow sprit	5.190m
Hull length	4.845m
Beam	2.155
Deadrise	21°
Bunk length	1.750m
Cabin head room	.880m
Hull weight (approx)	560kg
Total road weight (approx)	1,070kg
Maximum horse power	115hp
Maximum engine weight	198kg

STANDARD EQUIPMENT

No feed back steering
Fibreglass hull liner
Alloy frame front hatch
BEP wiring loom
Stainless steel bow rail
Stainless steel folding extending ladder
Stainless steel cockpit grab rails
Cockpit rod racks

Polymer upholstery panel boards
Polyurethane foam filled hull
NZ CPC Standard

OPTIONAL EQUIPMENT

Bait station
Infill squab
Stainless steel ski pole
Rocket launcher with rigid frame
Bimini and clears
Alloy fuel tank
Rope chain capstan
Classic hull band

565 CLASSIC

Advanced Composite Stringer Technology

Manufactured using latest composite materials



Buccaneer

565 CLASSIC XL CABIN WIDE BODY

L.O.A. includes bow sprit	5.910m
Hull length	5.496m
Beam	2.300m
Deadrise	23°
Bunk length	2.000m
Cabin head room	.900m
Fuel capacity (approx)	165L
Hull weight (approx)	750kg
Total road weight (approx)	1,430kg
Maximum horse power	150hp
Maximum engine weight	220kg

STANDARD EQUIPMENT

- No feed back steering
- Alloy frame front hatch
- BEP wiring loom
- Stainless steel bow rail
- Stainless steel folding extending ladder
- Stainless steel cockpit grab rails
- Cockpit rod racks
- Alloy fuel tank
- Toilet compartment

- Polymer upholstery panel boards
- Polyurethane foam filled hull
- Fibreglass hull liner
- NZ CPC Standard

OPTIONAL EQUIPMENT

- Bait station
- Infill squab
- Stainless steel ski pole
- Rocket launcher with rigid frame
- bimini and clears
- Chemical toilet
- Rope chain capstan
- Classic hull band

470 ESPRITE

Advanced
Composite
Stringer
Technology

Manufactured using latest
composite materials



Buccaneer

470 ESPRITE XL RUNABOUT

L.O.A. includes bow sprit	4.965m
Hull length	4.660m
Beam	2.035m
Deadrise	19°
Hull weight (approx)	520kg
Total road weight (approx)	895kg
Maximum horse power	115hp
Maximum engine weight	176kg

STANDARD EQUIPMENT

- Mechanical steering
- Stainless steel folding ladder
- Stainless steel cockpit grab rails
- BEP wiring loom
- Back-to-back seats
- Polymer upholstery panel boards
- Polyurethane foam filled hull
- Fibreglass hull liner

OPTIONAL EQUIPMENT

- Stainless steel ski pole
- Stainless steel bow rails
- Alloy fuel tank 90L (approx)
- Classic hull band